


# ALWAYS THE BEST PROTECTION PROFILES



MADE IN  
ITALY





SAFETY ENGINEERING  
FOR A SAFE WORK

Safeway360

SEGURIDAD GLOBAL

# Exterior & Interior

Protección de personas



Protección de activos y bienes



Señalización temporal y definitiva



Delimitaciones de zonas de trabajo



Diseño y soluciones a medida



ESTUDIO Y PROYECTO



PRODUCTO E INSTALACIÓN



POSTVENTA Y MANTENIMIENTO

# 13

## WALL PROTECTION

New bumper without guides. Thanks to its big size and resistance it is ideal for protection of industrial spaces. Fixed caps with hidden screws covered by specific buttons.


Nuovo profilo antiurto senza guida. La sua ampiezza e resistenza lo rende ideale per la protezione di ambienti industriali. Terminali fissati con viti nascoste da appositi bottoni.

Nouveau profilé anti-choc sans besoin d'une base à fixer. Sa mesure large et sa résistance en font le profilé parfait pour la protection des espaces industriels. Embouts fixés avec des vis cachées grâce à des bouchons spécifiques.

Nuevo perfil antigolpe sin guía. Su amplitud y resistencia lo hacen ideal para la protección de entornos industriales. Terminales fijados con tornillos ocultos por botones especiales.





### Wall Protection




**WP 100**

Length **4.000 mm**  
Packing **8 pz / box**  
Colour **B E F**



**WP 150**


Length **4.000 mm**  
Packing **4 pz / box**  
Colour **B M E**



**WPC**

To install with WP 100 / WP 150


Length **4.000 mm**  
Packing **16 pz / box**  
Colour **A B M D E F G H**



**WPT 100**

To install with TM5


Packing **50 pz / box**  
Colour **B E F**



**WPA 100**

To install with TS9


Packing **20 pz / box**  
Colour **B E**



**WPT 150**

To install with TM5


Packing **50 pz / box**  
Colour **B E**





**WPA 150**

To install with TS9



Packing **20 pz / box**  
Colour **B E**






**WP 100**

Length **4.000 mm**  
Packing **8 pz / box**  
Colour **B E F**



**WP 150**

Length **4.000 mm**  
Packing **4 pz / box**  
Colour **B M E**



**WPCS**

To install with WP 100 / WP 150


Length **4.000 mm**  
Packing **8 pz / box**  
Colour **A B M D E F G H I**



**WPTS 100**

To install with TS9


Packing **20 pz / box**  
Colour **B E**



**WPAS 100**

To install with TS9


Packing **20 pz / box**  
Colour **B E**



**WPTS 150**

To install with TS9




Packing **20 pz / box**  
Colour **B E**



**WPAS 150**

To install with TS9


Packing **20 pz / box**  
Colour **B E**



**ASP 200**

**SOFT**


Length **4.000 mm**  
Packing **2 pz / box**  
Colour **B M**



**ASPT 200**

**SOFT**

Packing **10 pz / box**  
Colour **B D**



**ASA**


Material **aluminium**  
Length **4.000 mm**  
Packing **8 pz / bundle**




**ASCO**

**SOFT**



Packing **2 pz / box**  
L = **32.000 mm**  
Colour **A B M D E**






**WALL HUG** 1000  
2000  
3000  
4000

Length 1000/2000/3000/4000  
Packing unpacked  
Colour M



**WALL BFLEX** 1000  
2000  
3000  
4000


Length 1000/2000/3000/4000  
Packing unpacked  
Colour M



# NEWS




**LOFT BARRIER**  
WORLD'S FIRST FIXED PROTECTION  
SYSTEM FOR SUSPENDED AREAS



**PROTEX**  
CORNER BUMPER GUARDS



**FENCE LINK**  
THE ADAPTABLE STRONGEST  
SOLUTION FOR RACK-ENDS



Now available  
**CUSTOMISED RACK PROTECTOR,**  
new version of rack protector  
processed upon request!

**CUSTOMISED RACK PROTECTOR**

## Fixing accessories



**TM5**  
Hole required Ø 8.5  
Neutral polyethylene. 100/500 Pcs. / bag.



**TS9**  
Hole required Ø 5  
White or grey nylon. 1000 Pcs. / bag.



**TB14**  
Hole required Ø 4  
Steel / aluminium, white. 500 Pcs. / box.



**TF14**  
Hole required Ø 5  
Aluminium. 500 Pcs. / box.



**TB20**  
Hole required Ø 5  
Steel / aluminium. 500 Pcs. / box.



**TF20**  
Hole required Ø 6.5  
Aluminium. 500 Pcs. / box.



**M12**  
**HILTI ANCHOR BOLT**  
Hole required Ø 12  
Galvanized steel.



**S12**  
**HILTI ANCHOR BOLT**  
Hole required Ø 10  
Galvanized steel.



**S16**  
**HILTI ANCHOR BOLT**  
Hole required Ø 14  
Galvanized steel.



**B12**  
**HILTI INSERT**  
Hole required Ø 18  
Galvanized steel.



**B16**  
**HILTI INSERT**  
Hole required Ø 22  
Galvanized steel.



**B20**  
**HILTI INSERT**  
Hole required Ø 28  
Galvanized steel.



**S12FH**  
**HILTI INSERT**  
Hole required Ø 10  
Galvanized steel.



**SF12**  
**HILTI INSERT**  
Hole required Ø 14  
Galvanized steel.



**ROD 70 ZINCATA**  
**HILTI INSERT**  
Hole required Ø 38  
Galvanized steel.



**ROD 70 INOX**  
**HILTI INSERT**  
Hole required Ø 38  
Galvanized steel.



**ROD 120 INOX**  
**HILTI INSERT**  
Hole required Ø 56  
Galvanized steel.



**ROD 120 ZINCATA**  
**HILTI INSERT**  
Hole required Ø 56  
Galvanized steel.



**SF16**  
**HILTI INSERT**  
Hole required Ø 18  
Galvanized steel.



**M16**  
**HILTI INSERT**  
Hole required Ø 16  
Galvanized steel.



**M16 INOX**  
**HILTI INSERT**  
Hole required Ø 16  
Galvanized steel.



**FR**  
**HILTI CHEMICAL ANCHOR**  
300 ML



**M20**  
**HILTI INSERT**  
Hole required Ø 24  
Galvanized steel.



**FIX P90**  
Galvanized steel and painted.



**COVER 90 RE**  
Galvanized steel and painted. 8 Pcs. / box.



**FIX 90 INOX**  
Stainless steel.



**FIX P150**  
Galvanized steel and painted.



**COVER 150 RE**  
Galvanized steel and painted.



**FIX P150 INOX**  
Stainless steel.



**FIX P150 FH**  
Galvanized steel and painted.



**FULL FRAME BASE**  
Galvanized steel and painted.

## Colours

<b>A</b>	<b>B</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	<b>K</b>	<b>L</b>	<b>M</b>
RED RAL 3002	GREY RAL 7040	BLACK RAL 9005	WHITE RAL 9010	WHITE RAL 9002	BLUE RAL 5005	GREEN RAL 6029	SILVER RAL 9006	LIGHT GREY RAL 7035	DARK GREY RAL 7024	LIGHT YELLOW RAL 1018

Cleaner resistant	Cheap	Easy to clean	<input type="checkbox"/> YES <input type="checkbox"/> NO
Quick assembly	Long resistance	Good thermal insulation	
Shockproof	Good waterproof	Non toxic	Class V0 self-extinguishing fire resistance